





Replacing several missing teeth, a failed bridge or a partial denture



Information for patients and dentists
**Implant-supported replacements
for lost natural teeth**



Replacing several missing teeth, a failed bridge or a partial denture

Problem

More than one tooth missing

- Poorly fitting partial denture or a failing tooth-supported bridge
- Unable to chew properly and eat what you want
- Food gets stuck under your denture leading to embarrassment or discomfort whilst eating
- Loose teeth or not enough teeth to support a bridge

Solution

Permanently fixed bridge supported by implants

(for several single tooth implants visit dentists4implants.com)

- Eat anything you choose
- Looks and works just like natural teeth
- Fixed in place, no need to remove it to clean
- No need to damage adjacent healthy teeth
- Prevents shrinkage of underlying bone

dentists4
implants.com

The next best thing to your natural teeth

For anyone with missing or failing teeth, dental implants can totally restore natural oral function, appearance and confidence.



“Over the longer term, implants are usually a more cost-effective and satisfactory option.”

British Dental Health Foundation

Alternatives

Replacement tooth-supported bridge

- Only possible if supporting teeth on either side can still be used
- Maintains chewing stress on the supporting teeth reducing their useful life
- Should be viewed as a temporary measure, if supporting teeth are failing

Larger tooth-supported bridge

- A larger bridge puts even more stress on the supporting teeth at either end
- If the gap is at the back of the mouth, a bridge may not be an option
- Needs replacing from time to time
- Bone beneath bridge shrinks, due to lack of use, leaving a gap

Partial denture

- Can be loose and uncomfortable, with food trapping beneath whilst eating
- Causes the bone and gum beneath the denture to shrink
- The clips which secure the denture can damage other teeth

Leave a gap

- Unsightly
- May impair eating, speech, confidence
- Bone and gum in gap will shrink
- Positions of adjacent and opposing teeth can move over time causing other problems



ALWAYS discuss the treatment options for your case with a competent dentist.

“

What patients say about treatment provided by dentists featured on dentists4implants.com

‘The finished implants and crowns look and feel like my own teeth, only better’

‘Now I can laugh, smile, have a lot of fun and kiss with confidence’

‘Everyone has complimented me on how they look and I am delighted!’

‘I no longer have to choose from a menu the easiest dish to eat!’


‘The treatment has been worth every penny’

‘My new teeth have given me a new lease of life. I can’t stop smiling’


‘My only regret is that I didn’t do it years ago!’




Dental implants for replacing missing or failing natural teeth



Replacing one or more missing teeth with individual implant-supported crowns




Typical costs for common dental implant treatments



Replacing several missing teeth, a failed bridge or a partial denture



Tooth implant treatment step-by-step



Preventing an existing full denture moving around



Implant treatment and your regular dentist



Replacing a complete set of teeth or a full denture with a full arch bridge



What if the bone volume is insufficient to support tooth implants?



Alternatives to dental implant-supported tooth replacements



Factors in the success of dental implant treatment



Why choose DENTSPLY Implants?

? Any Questions

For answers to more than 50 questions about dental implant treatment for replacing missing teeth visit dentists4implants.com

- Ask a dentist a question
- Discover how dental implants can help you
- Find out the cost of your treatment
- Arrange a consultation

Find a local implant dentistry clinic

dentists4implants.com

DENTSPLY Implants UK & Ireland
Brunel Way Stonehouse Gloucestershire GL10 3GB